







# Flying Geese Heart 6" Block for January Show 'n Tell

- |    |  |   |
|----|--|---|
| #1 | Cut:<br>4 1/2" x 2 1/2" (cut 2)  |  |
| #2 | 2 1/2" x 2 1/2" (cut 2)<br>1 7/8" x 4 1/2" (cut 2)   |  |
| #3 | 2 1/2" x 2 1/2" (cut 2)<br>1 7/8" x 4 1/2" (cut 2)   |  |
| #4 | Background<br>5" Square Cut diagonally<br>2" Square – cut diagonally<br>4 1/2" x 2 1/2" (cut 1) (center of top goose)<br>2 1/2" square (cut 2) |  |




Make two flying geese and join together.  
(instructions on last page)

Attach #1 4 1/2" x 2 1/2" x 4 1/2" log to bottom



Join Log #2 and Log #3 , Cut inside edges of logs  
at 45 degree angle – allow for 1/4" seam

Attach joined logs to side of flying geese



Trim bottom log at 45 degree angle  
to align with side logs  
At Bottom left and right - attach 5"  
background triangles

Trim to 6 1/2" square  
Cut top right and left 45 degrees (allow 1/4" seam on  
top and sides)  
At Top left and right – attach 2" background triangles  
Trim again as needed



# How to Make Flying Geese

With right  
sides together  
stitch seam at  
45 degrees  
(do not trim)

Iron open  
(do not trim)

With right  
sides together  
stitch seam at  
45 degrees

Iron open  
(do not trim)

